

A-Day: Due Thurs., Oct 30 (Assigned: 10/28)
B-Day: Due Fri., Oct 31 (Assigned: 10/29)

2008 PreAP Energy 2

$E_{\text{before}} \pm W = E_{\text{after}}$
$\text{Eff} = \frac{W_{\text{out}}}{W_{\text{in}}}$

Remember to use your notes and follow the steps exactly!
YOU MUST SHOW ALL YOUR WORK!

- Give the conservation of energy equation for the following situations.
 - An object is thrown into the air. Find how high it goes.
 - An object at rest is moved.
 - A moving object slows down due to friction.
 - An object is dropped. How fast is it going part way down?
 - A spring is compressed.
 - A compressed spring shoots an object into the air.
 - A moving object is stopped.
- An object is 45 m above the ground when it is dropped. How fast is the object going just before it hits the ground?
 - Put in the equations for each kind of energy and solve.
- A 4 kg object is moving 2 m/s when it is pushed by a 5 N force for 7 m. How fast is it going afterwards?
 - Conservation of energy equation:
 - Solve:
- A 3 kg object is moving 2 m/s. It comes to rest by compressing a spring 0.8 meters. Find the spring constant of the spring.
 - Conservation of energy equation:
 - Solve:
- A 10 kg object is at rest on the ground. It is lifted up 8 m. How much work was done to lift the object?
 - Conservation of energy equation:
 - Solve:
 - If it was lifted up in 4 seconds, how much power was used to lift it.


So the "work" in the power formula could be the "energy" that the work created.

2008 PreAP Energy 2—p2

6. A 6 kg object is at rest on the ground. A 25 N force pushes on the object for 4 m. The object ends up moving 5 m/s.
- A) How much work was done on the object?
 - B) How much kinetic energy does it have afterwards?
 - C) How efficient was the energy transfer?
 - D) Where did the energy probably go?
 - E) What kind of energy did the lost energy turn into?
7. Two people are riding bicycles. Person A stops at the bottom of the hill and pushes hard all the way up. Person B starts a long way back and gains speed, coasting all of the way up.
- A. Both bikers have what kind of energy after they climb the hill?
 - B. What kind of energy did Person A use to get up the hill?
 - C. What kind of energy did Person B use to get up the hill?
- Notice: Person B transferred energy!*
8. An object is at rest on a ledge 25 meters above the ground. If it is pushed off the ledge, how high above the ground will it be going 20 m/s?
- A) $E_{\text{before}} = \underline{\hspace{2cm}}$ Work? = $\underline{\hspace{2cm}}$ $E_{\text{after}} = \underline{\hspace{2cm}}$
 - B) Conservation of Energy Equation:
 - C) Solve for the height.

9. An object slides down a frictionless ramp shown at the right.

- A) $E_{\text{before}} = \underline{\hspace{2cm}}$ Work? = $\underline{\hspace{2cm}}$ $E_{\text{after}} = \underline{\hspace{2cm}}$
- B) Conservation of Energy Equation:
- C) What is the height of the object (*vertical distance, remember*)?
- D) Solve for the velocity at the bottom of the ramp.



10. A spring is compressed 0.3 m and has a spring constant of 35 N/m. If it is released, how fast will it launch a 4 kg object? (*Use the same process as above.*)

2008 PreAP Energy 3—p3

Understanding efficiency:

11. A 10 N force pulls a 2 kg object up a 9 m long ramp to get the object to the top of a 3 m tall platform.
- A. Calculate the work done to pull the object up the ramp.
 - B. Calculate the potential energy of the object when it is on the table.
 - C. Was all of the work transferred to the object?
 - D. If energy cannot be created nor destroyed, where did the energy go?
 - E. Find the efficiency of the transfer.

